



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/720,762

12/28/2000

Kazuyuki Yanase

114474-14-FESI00002US

5214

38492

7590

07/01/2009

WILLKIE FARR & GALLAGHER LLP  
INTELLECTUAL PROPERTY LEGAL ASSISTANTS  
787 SEVENTH AVE  
NEW YORK, NY 10019-6099

EXAMINER

HAMO, PATRICK

ART UNIT

PAPER NUMBER

3746

MAIL DATE

DELIVERY MODE

07/01/2009

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	09/720,762	YANASE ET AL.	
	<b>Examiner</b>	<b>Art Unit</b>	
	PATRICK HAMO	3746	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☒ Responsive to communication(s) filed on 17 April 2009.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 1,3,6-9,11 and 13-40 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,3,6-9,11 and 13-40 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)          | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

### **DETAILED ACTION**

This action is in response to amendments filed on April 17, 2009.

#### ***Claim Rejections - 35 USC § 112***

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 1, 3, 6-9, 11 and 13-40 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The limitation that the barrel is "composed of a polyethylene fiber" is not supported by the disclosure, which only discusses a polyolefin fiber. Polyethylene is one of many polyolefins, but it is not clear from the original disclosure that the inventors had used polyethylene in particular as the fiber with which to construct the barrel.

#### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

Art Unit: 3746

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 3, 6-9, 16-28 and 30-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Trull et al., 6,080,136 in view of Ivey, 5,976,299 and further in view of Sudo et al., 5,009,646.

Trull, in figure 6, disclose a syringe gasket (70) wherein a peripheral side surface (80) of the gasket is in contact with an inner surface of the syringe barrel (60). A restriction and a tapered slant with a first and second plunger diameter (see fig. 6) is provided, and a periphery of a bottom surface of the gasket that is not in contact with the liquid is formed into a tapered slant (see fig. 6).

Trull does not teach that the barrel is composed of a polyethylene fiber or one or both of the peripheral side surfaces that is in contact with an inner surface of the syringe barrel and a surface of the gasket that is in contact with the liquid is laminated with polyethylene fluoride resin.

However, Ivey teaches the use polyethylene film, composed of polyethylene fibers (col. 5, lines 1-4) to make sterilizable receptacles for medical use, including syringes (col. 1, lines 13-24). Therefore, it would have been obvious to a person having ordinary skill in the art at the time of the invention to have made the barrel of Trull out of polyolefin fibers to make the syringe sterilizable and therefore reusable.

Furthermore, Sudo teaches a syringe gasket (2) coated (3) with a thermoplastic resin such as polyethylene (col. 2 lines 10-24) to provide sealing and lubrication while preventing contamination from liquid lubricants (col. 1 lines 48-55). In regard to the claimed limitation that the restriction has an inner diameter ratio of 0.8 or more and less

Art Unit: 3746

than 1.0 of a diameter of the gasket, this constitutes a change in proportion of the gap 6 taught by Sudo. In *Gardner v. TEC Systems, Inc.*, 725 F.2d 1338, 220 USPQ 777 (Fed. Cir. 1984), cert. denied, 469 U.S. 830, 225 USPQ 232 (1984), the Federal Circuit held that, where the only difference between the prior art and the claims was a recitation of relative dimensions of the claimed device and a device having the claimed relative dimensions would not perform differently than the prior art device, the claimed device was not patentably distinct from the prior art device.

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the Trull et al. gasket by using a gasket material of polyethylene, as taught by Sudo et al., in order to eliminate the need for a lubricant and serve as a protective sealant coating for the gasket.

With respect to the fact that Sudo teaches the coating for more than just the peripheral side surface, namely the top surface in contact with the pumped liquid as a sealant, it is brought to applicant's attention that the bottom surface is not coated. This surface is not coated because coating it with a lubricant or sealant is not required. The coating has two functions, namely to lubricate and to seal. For the side surface, both of these functions are utilized. For the top portion, only the function of sealant is being utilized. In the present application, the coating and its function (sealing) are removed from the top surface. This does not add patentable weight because it would have been obvious to omit the coating where the function attributed to the coating is not desired or required. See MPEP §2144.04(2)(a).

Art Unit: 3746

Furthermore, Trull does not teach that the first and second diameter of the tapered slant have a difference between about .5mm and about 5mm or that the gasket's inner diameter, its height, its first diameter, or its second diameter. With respect to the specified gasket dimensions in the claims 3, 6-8, 19, 21,22, and 24-28, where the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation. In re Swain et al., 33 CCPA (Patents) 1250, 156 F.2d 239, 70 USPQ 412; Minnesota Mining and Mfg. Co. v. Coe, 69 App. D.C. 217, 99 F.2d 986, 38 USPQ 213; Allen et al. v. Coe, 77 App. D.C. 324, 135 F.2d 11, 57 USPQ 136.

With respect to claim 9, a second tapered (see examiner's marked up Figure 6) slant is formed between the peripheral side surface of the gasket (70) that is in contact with an inner surface of the syringe barrel (60) and the restriction (see examiner's marked up Figure 6). The gasket tightly closing the liquid is an obvious requirement for the syringe to pump fluid properly. A recitation with respect to the material intended to be worked upon by a claimed apparatus, in this case a contrast medium, does not impose any structural limitations upon the claimed apparatus, which differentiates it from the prior art apparatus satisfying the structural limitations of the claims, as is the case here.

Claims 14, and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over the references as applied to claims 1 and 9 above, and further in view of Akaike et al., 5,061,247.

Art Unit: 3746

The references as applied to claims 1 and 9 above teach all of the limitations substantially as claimed except for the following: the gasket being made integrally of a material with JIS hardness of 55 to 60.

However, Akaike et al., in column 5 lines 58-59, disclose, that a hardness of JIS of 20-85 is optimal for gaskets applied to syringe devices. This general range covers the applicants claimed range. Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to further modify references as applied to claims 1 and 9 above with a gasket material of 20-85 JIS hardness in order to achieve optimum gasket functionality within a syringe device. With respect to the specific range of JIS hardness 55 to 60, where the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation. In re Swain et al., 33 CCPA (Patents) 1250, 156 F.2d 239, 70 USPQ 412; Minnesota Mining and Mfg. Co. v. Coe, 69 App. D.C. 217, 99 F.2d 986, 38 USPQ 213; Allen et al. v. Coe, 77 App. D.C. 324, 135 F.2d 11, 57 USPQ 136. Other than the range being preferred for presumably general optimum device function, the applicant has provided no criticality or unexpected or non-obvious advantage over choosing one this particular range. The coating taught by the prior art is integral in that the coating and the plunger coated form an integral plunger assembly.

Claims 11 and 13 and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over the references as applied to claims 1 and 9 above, and further in view of Higashikawa, 5,830,193.

Art Unit: 3746

The references as applied to claim 1 above teach all of the limitations substantially as claimed except for the following: that the syringe includes a luer lock.

However, Higashikawa in Figure 1a-1c, 7a, and 7b, teaches that luer lock mechanisms (37, 30, 22) have been especially common in medical syringes (21) for mounting needles (32) - see column 7 line 49.

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to further modify the references as applied to claims 1 and 9 above by incorporating the luer locking mechanism, as taught by Higashikawa, in order to allow for needle mounting.

Claims 33-40 are rejected under 35 U.S.C. 103(a) as being unpatentable over the references as applied to claim 1 in view of Vacca, 5,531,255.

The references as applied to claim 1 above teach all of the limitations substantially as claimed except for the following: that only wherein the peripheral side surface that contacts the inner surface of the syringe barrel is laminated with silicon.

However, Vacca teaches that adding lubricant to a syringe improves its performance and that silicon is a suitable lubricant (col. 3, ll. 14-18).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the references if claim 1 above with the silicon lubrication of Vacca in order to improve the performance of the syringe.



***Response to Arguments***

Applicant's arguments filed April 17, 2009 have been fully considered but they are not persuasive.

In regard to applicant's argument that MPEP 2144.04(2)(a) does not apply to the teaching of Sudo, the examiner respectfully disagrees. MPEP 2144.04(2)(a) is directed to the omission of an element and its function, but it does not suggest that the term "element" should be so narrowly defined that it does not include a coating on the top surface of the gasket. When consulting the case law presented in the MPEP, it is only reasonable to make inferences based on the examples contained therein. Based on the case law, the examiner is not persuaded that removing a portion of coating would not be considered an omission of an element.

In regard to applicant's argument that the references do not teach a specific relationship between the diameters of the gasket and the restriction, this limitation is addressed above. The diameter ratio claimed is a mere change in shape that does not patentably distinguish over the art absent persuasive evidence the claimed relative dimensions would perform differently than the prior art device.

In regard to applicant's argument that Trull teaches away from the use of a restriction of the plunger to prevent bending, examiner respectfully disagrees. Trull teaches a plunger without a restriction, but overlooking the advantages that could have been presented by use of a restriction does not equate to teaching away from the use of the restriction. With the reference to Sudo, one skilled in the art would have still found it obvious to combine the two references as discussed above.

Art Unit: 3746

Applicant's arguments with respect to claims 1, 3, 6-9, 11 and 13-40 with respect to the barrel composed of polyethylene fibers have been considered but are moot in view of the new ground(s) of rejection.

### ***Conclusion***

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to PATRICK HAMO whose telephone number is (571)272-3492. The examiner can normally be reached on M-F 8:30-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Devon Kramer can be reached on 571-272-7118. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3746

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Devon C Kramer/  
Supervisory Patent Examiner, Art  
Unit 3746

/Patrick Hamo/  
Patent Examiner, AU 3746